Cummins Onan



COMMERCIAL MOBILE GENERATORS

Innovative Reliability for Mobile Power Applications





The Global Leader for a Reason



Performance you rely on

The Cummins Onan brand of generators continues our tradition of dependable performance, innovative technologies, and an ongoing commitment to provide you with the best power generation products available worldwide.

Plus, you can rest assured that after you purchase a Cummins Onan generator, our global customer support network will continue to provide you with high-quality parts, products, expert sales assistance and superior service.

More than 70 years of generator experience means that Cummins Onan generators meet your toughest demands for rugged applications where reliability, uptime and peak performance are crucial for success. That's why Cummins Onan is already the global leader. Our complete line of 2-40 kW mobile power products include diesel, gasoline, LP, hydraulic and PTO power options.



FIRE/RESCUE

Maximum Power, Minimal Space

Fire trucks need to carry a lot of equipment in limited space. Our engineers are constantly developing new ways to help you put more power into your vehicle without taking up more space.

Cummins Onan hydraulic and PTO generators fit into compartments a fraction of the size needed for diesel generators. Our complete line of generators is designed to provide you with reliable power, quiet operation, easy maintenance and compact installation. For maximum power in minimal space, no one sizes up to the efficiency of Cummins Onan generators. We back this up with an excellent warranty and dependable service network.

RELIABILITY

"The Onan generator on our '85 fire truck has served us well, but the new Cummins Onan model we installed is really a step up, and fit easily in the housing with room to spare. Cummins Onan also provides the reliable backup power we needed for Fire/EMS/PW radio transmission equipment using 200 amp service with a 100 amp emergency panel and transfer switch."







TELECOM/UTILITY

Heavy-Duty, Field-Proven

In the field, it simply has to work right, every time.

Cummins Onan delivers for utility and telecom fleets with heavy-duty, field-proven generators designed for long life. Our EFI technology Quiet Gasoline™ generators feature exceptionally low noise and vibration, easy installation and diagnostic capability. And, our advanced digital control system maintains precise voltage and frequency stability as loads change.



"Our service trucks demand a lot of power. The Cummins Onan generator handles the 5000-watt electric heater, 300 watts of lights, 5-hp compressor and everything else we throw at it without missing a beat."









MOBILE SPECIALTY

Power on the Move

Cummins Onan offers a wide selection of generators for mobile vehicle applications —

from broadcast, emergency management and surveillance activities, to medical or other critical services, food preparation, or simply for recreational enjoyment. Both our gasoline and diesel platforms feature Cummins Onan quiet operation and reliability, in a wide range from commercial portable sets to heavy-duty generators where low noise and low vibration are required.

QUALITY

"As I was looking for a generator to put on a Public Safety Command Trailer, Cummins Onan was recommended time and again. I have not been disappointed — I needed 120v single phase capable of doing a steady 60 amps, and it performs flawlessly."

Peace of Mind

Largest Support Network

Developed, manufactured and serviced by one company, Cummins Onan generator sets are supported by the largest and best-trained worldwide certified distributor/dealer network in the industry. That means wherever you need mobile power, you can be confident that a Cummins Onan distributor/dealer is nearby. Since we have the largest network in the industry, genuine parts, quality service and expert installation assistance are easily obtained wherever you are, whenever you need them. Plus, our extensive training and certification process ensures you receive exceptional product service and support. It's simple to find us — just visit www.cumminsonan.com for the nearest Cummins Onan distributor/dealer.

Warranty

We're so confident about our mobile power generation products that all Cummins Onan products are covered by extensive, completely transferable warranties.

Warranty Coverage


QG (5.5, 7.0 kW), SD, QD 2 yrs/2000 hrs

QG (2.8, 4.0 kW) 1 yr/1000 hrs

HG, PTO 5 yrs/1000 hrs*

*Warranty on the HG/PTO covers (limited) travel to the site for the first two years.

To find warranty information for your model, consult the product specification sheet, see your Cummins Onan Distributor/Dealer, or visit www.cumminsonan.com.





Insist on the Quality of Green Label Parts

Specifically designed by Cummins Onan for Cummins Onan generators, Green Label replacement and maintenance products provide dependable power and performance for the life of your generator. For genuine Green Label air filters, spark plugs, oil filters, tune-up kits and more, see your Cummins Onan authorized service and parts dealer. To locate the dealer nearest you, visit www.cumminsonan.com.

Commercial Mobile Accessories

Accessories such as tailpipes, remote panels & harnesses, muffler kits and more are available through your local Cummins Onan dealer/distributor. To download an accessories catalog, visit www.cumminsonan.com/cm/products/accessories/.

Product Line

We offer a complete line of mobile power products including generators from 2–40 kW. Mobile power is available in hydraulic, diesel, gasoline, LP and PTO powered models.

Commercial Mobile Quiet Diesel Series

Model	kW	Hz	Voltage	Amps	dB(A)	Ph	Length x Width x Height in/mm	Weight lbs/kg
QD500	00 4.8	50	230	21	68	1	34/876 x 23/581 x 20/515	400/181
	5	60	120/240	41.7/20.8		1		
	5	60	120/240	12		3		
QD600	00 6	60	120	50	69	1	36/923 x 24/615 x 22/566	420/191
QD650	00 6.25	60	100	63	71	1	36/923 x 24/615 x 22/566	420/191
QD750	7.5	60	120	62.5	71	1	36/923 x 24/615 x 22/566	420/191
QD800	8 00	60	120	66.6	72	1	36/923 x 24/615 x 22/566	420/191
		50	230	35	67	1	41/1053 x 25/621 x 27/686	816/370
QD100	00 10	60	120/240	83.3/41.7	68	1	41/1053 x 25/621 x 27/686	816/370
QD120	00 12	60	120/240	100/50	68	1	41/1053 x 25/621 x 27/686	816/370

Commercial Mobile Quiet Diesel Series - Remote Radiator

Model	kW	Hz	Voltage	Amps	dB(A)	Ph	Length x Width x Height in/mm	Weight lbs/kg
QD7000	7	50	110/220 115/230 120/240 220 230	63.6/31.8 60.9/30.4 58.3/29.2 31.8 30.4	60	1 1 1 1 1	36/914 x 22/559 x 23/584	601/272
QD9500	9.5	50	110/220 115/230 120/240 220 230	86.4/43.2 82.6/41.3 79.2/39.6 43.2 41.3	62	1 1 1 1	41/1041 x 22/559 x 23/584	695/315
QD11000	11	50	110/220 115/230 120/240 220 230	100/50 95.7/47.8 91.7/46 50 47.8	62	1 1 1 1 1	41/1041 x 22/559 x 23/584	695/315
QD13500	13.5	50	110/220 115/230 120/240 220 230 110/220 115/230 120/240 220/380 230/400 240/416	122.7/61.4 117.4/58.7 112.5/56.3 61.4 58.7 44.3 42.4 40.6 25.6 24.4 23.4	63	1 1 1 1 1 3 3 3 3 3 3 3	45/1143 x 24/610 x 28/711	892/404

Cummins Onan Commercial Mobile Generators

Model	kW	Hz	Voltage	Amps	dB(A)	Ph	Length x Width x Height in/mm	Weight lbs/kg
QD17500	17.5	50	110/220 115/230 120/240 220 230 110/220 115/230 120/240 220/380 230/400 240/416	159.1/79.5 152.2/76.1 145.8/72.9 79.5 76.1 57.4 54.9 52.6 33.2 31.6 30.4	63	1 1 1 1 1 3 3 3 3 3 3	45/1143 x 24/610 x 28/711	932/422
QD19000	19	50	110/220 115/230 220 230 110/220 115/230 120/240 220/380 230/400 240/416	172.7/86.4 165.2/82.6 86.4 82.6 62.3 59.6 57.1 36.1 34.3 32.9	63	1 1 1 1 3 3 3 3 3 3 3	45/1143 x 24/610 x 28/711	932/422

Remote Radiator Specification*

	Generator Cooling Package		Size (in/mm)	
		L	W	Н
n D man non 24	QD7000	17/430	14/368	20/508
	QD9500	20/520	16/410	22/570
	QD11000			
W No.	QD13500			
700	QD17500	23/595	16/410	27/682
	QD19000			

^{*}Cummins Onan remote raditor and installation kit must be ordered with the generator. See specification sheet for cooling package installation details.

Commercial Mobile Standard Diesel Series

Model	kW	Hz	Voltage	Amps	dB(A)	Ph	Length x Width x Height in/mm	Weight lbs/kg
SD 6.0	6	50	115/230	52.1/26.1	75	1	37/942 x 21/533 x 24/610	491/223
		60	120/240	50/25	76	1		
SD 7.5	7.5	60	120/240	62.5/31.3	76	1	37/940 x 21/533 x 24/610	491/223
			100/200	75/38		1		
			Reconnectable			3		
SD 8.0	8	50	115/230	70/35	76	1	39/1003 x 21/533 x 26/662	519/236
			Reconnectable			3	40/1028 x 21/533 x 26/662	
SD 10.0	10	60	120/240	83/42	78	1	39/1003 x 21/533 x 26/662	519/236
C-A-A-A-A			100/200	100/50		1		
			120/240	30		3	40/1028 x 21/533 x 26/662	
SD 20.0	20	60	120/240	167/83	82	1	49/1245 x 24/610 x 28/711	890/404

Cummins Onan Commercial Mobile Generators

Commercial Mobile Quiet LP Series

Model		kW	Hz	Voltage	Amps	dB(A)	Ph	Length x Width x Height in/mm	Weight lbs/kg
	QG2000	2	50	230	8.7	70	1	22/559 x 16/417 x 13/330	125/57
Militar	QG2500	2.5	60	120	20.8	70	1	22/559 x 16/417 x 13/330	125/57
	QG3300	3.3	50	115/230	28.7/14.3	65	1	31/775 x 21/523 x 16/417	174/83
	QG3600	3.6	60	120	30	70	1	31/775 x 21/523 x 16/417	174/83
25	QG5500	5.5	60	120	45.8	66	1	34/853 x 22/563 x 17/425	290/132
C C	QG6500	6.5	60	120	54.2	70	1	34/853 x 22/563 x 17/425	290/132

Commercial Mobile Quiet Gasoline Series

Model	kW	Hz	Voltage	Amps	dB(A)	Ph	Length x Width x Height in/mm	Weight lbs/kg
QG2300	2.3	50	230	10	70	1	22/559 x 16/417 x 13/330	125/57
QG2800	2.8	60	120	23.3	70	1	22/559 x 16/417 x 13/330	125/57
QG2800	2.8	60	100	28	70	1	22/559 x 16/417 x 13/330	125/57
QG3600	3.6	50	115/230	31.3/15.7	65	1	31/775 x 21/523 x 16/417	174/83
QG4000	4	60	120	33.3	70	1	31/775 x 21/523 x 16/417	174/83
		100	40					
QG5500	5.5	60	120/240	45.8/22.9	66	1	34/853 x 22/563 x 17/425	290/132
-			120/240	13.2		3		
QG7000	7	60	120/240	58.3/16.8	70	1	34/853 x 22/563 x 17/425	290/132
			120/240	16.8		3		

Cummins Onan Commercial Mobile Generators

Commercial Mobile Hydraulic Series

Model		kW	Hz	Voltage	Amps	dB(A)	Ph	Length x Width x Height in/mm	Weight lbs/kg
	HG6000	6	60	120/240	50/25		1	31/787 x 16/405 x 14/350	247/112
	HG8000	8	50	115/230	69.6/34.8		1	31/787 x 16/405 x 14/350	247/112
			60	120/240	67/33		1	31/787 x 16/405 x 14/350	247/112
	HG10000	10	60	120/240	83/42		1	31/787 x 16/405 x 14/350	247/112
	HG15000	15	60	120/240	125/63		1	39/995 x 16/405 x 14/350	293/133
	HG20000	20	60	120/240	166/83		1	45/1133 x 19/490 x 17/439	680/309
	HG25000	25	60	120/240	208/104		1	45/1133 x 19/490 x 17/439	680/309

Commercial Mobile PTO Series

Model		kW	Hz	Voltage	Amps	dB(A)	Ph	Length x Width x Height in/mm	Weight lbs/kg
	15YD	12	50	115/230			1	26/662 x 14/350 x 15/381	301/137
				Reconnectable			3		
		15	60	120/240			1		
				Reconnectable			3		
	20YD	16	50	115/230			1	27/686 x 14/350 x 15/381	352/160
				Reconnectable			3		
		20	60	120/240			1		
				Reconnectable			3		
	25YD	20	50	115/230			1	28/711 x 14/350 x 15/381	389/177
				Reconnectable			3		
		25	60	120/240			1		
				Reconnectable			3		
	30YD	25	50	115/230			1	30/762 x 14/350 x 15/381	449/204
		30	60	120/240			1		
	32YD	25	50	Reconnectable			3	30/762 x 14/350 x 15/381	449/204
		32	60	Reconnectable			3		
	35YD	30	50	115/230			1	32/813 x 14/350 x 15/381	506/230
		35	60	120/240			1		
	40YD	30	50	Reconnectable			3	32/813 x 14/350 x 15/381	506/230
		40	60	Reconnectable			3		

Reliable Performance for Every Mobile Power Application



2-7 kW

Quiet Gasoline and LP

Designed for tough commercial applications,
Quiet Gas™ Series generators are loaded with quality
features. And the Quiet Gas EFI is the first Electronic
Fuel Injection generator set in the industry. The
Quiet Gas Series features exceptionally low noise
and vibration, easy installation, diagnostic capability
and digital regulation that keeps voltage and
frequency stable as loads change.

The advanced digital control provides extensive diagnostic capabilities by constantly monitoring operation and alerting the user to potential problems. It also assists the operator or service personnel in troubleshooting a variety of operating conditions and service checks.

- Full housing with enclosed muffler
- Lightweight, compact
- Single-side servicing
- Low fuel consumption
- Warranty







5-12 kW

Quiet Diesel

The Quiet Diesel Series models are the heavy-duty choice when low noise and low vibration are required. Their revolutionary design makes these generator sets up to 15 dB(A) quieter than other diesel-powered generators, and quieter than most gasoline sets. The unit is totally enclosed, including cooling, muffler and intake systems, for easy installation.



- Self-diagnostic capability
- Top-mounted switches and coolant level check/fills
- Service and maintenance points
- Fully focalized internal mounting system
- UV-resistant paint and water-resistant controls
- Automatic glow plug timing
- Easy installation
- Warranty

6-20 kW

Standard Diesel

Standard open diesel generators offer exceptional value with features to match, including smooth operation, increased cooling efficiency and low harmonic distortion.

- Replaceable air cleaner elements
- Battery-charging DC alternator
- Lifting brackets
- Electric fuel pump
- Water-resistant controls
- Glow plugs for reliable all-weather starting
- Flexible installation
- Multiple oil fill/check points
- Fuel filter/water separator optional
- Warranty



SMOOTH

"Our Cummins Onan generator is mounted to our mobile dentist tractor/trailer to power an X-ray system, water pumps, drills and air-conditioning. There's no noise, and never an issue. We can concentrate on patients, not on the power equipment!"



6-25 kW

Hydraulic

The Cummins Onan Hydraulic Series of generators are designed as a fully integrated power system that includes the hydraulic pump, motor generator, filtration system, oil cooler and reservoir in one complete, compact and lightweight package.

Cummins Onan Hydraulic generators start under full load and run at the rated output, giving you all the power and performance you're paying for.

- High-performance motor-starting capability for heavy loads
- Meets full load capability at 120° F (50° C) ambient conditions
- Designed to provide clean, quiet power with low vibration
- Powder-coated and stainless steel housings
- Easy, single-side serviceability minimizes compartment space requirements
- Multiple air inlet locations for flexible installation and compact size offering several mounting options
- Full power available on the fly
- Best warranty in the industry



12-40 kW

Power Take-Off

The Cummins Onan Protec PTO generators are specifically engineered for mobile emergency vehicle use with a field-proven design for high performance and long life. Features include various mounting configurations, bi-directional rotation with radial fan, and remote mountable solid state electronic voltage regulator.



- Capped voltage regulation
- Environmental protection for adverse conditions
- 50/60 Hz switchable
- Brushless exciter
- Double-sealed, pre-lubricated bearings
- Air-cooled with shaft-mounted centrifugal fan
- Skewed stator for low harmonic distortion
- Class H insulation, 180° C temperature rating
- Reconnectable three phase; single phase available
- Best warranty in the industry



Cummins Power Generation

1400 73rd Ave. NE
Minneapolis, MN 55432
USA
Phone 1 763 574 5000
Toll-free 1 800 888 6626
Fax 1 763 574 5298
Email www.cumminsonan.com/contact
www.cumminsonan.com

©2012 Cummins Power Generation. All rights reserved. Cummins, Onan, the "C" logo and "Performance you rely on. "" are trademarks or registered trademarks of Cummins Inc. F-1405H (7/12)

Cummins Onan

